EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S52	505	(router$3 GATEWAY$3 SWITCH$3) with (proxIES firewallS load$3 near3 balancERS) AND @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 11:44
S54	240	(router$3 GATEWAY$3 SWITCH$3) with (proxIES firewallS load$3 near3 balancERS) AND key$2 and @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 13:33
S55	14	(router$3 GATEWAY$3 SWITCH$3) with (proxIES firewallS load$3 near3 balancERS) AND connection $3 near3 key$2 and @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 13:33
S56	185	(router$3 GATEWAY$3 SWITCH$3) with (proxIES firewallS load$3 near3 balancERS) and (processor $4 CPU) with (NIC network $3 interfac$3 network$3 near3 adapter$3 lan$3 near3 adpater) AND @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:07
S57	187	(router$3 GATEWAY$3 SWITCH$3) with (prox$3 firewall$3 load$3 near3 balancERS) and (processor $4 CPU) with (NIC network $3 interfac$3 network$3 near3 adapter$3 lan$3 near3 adpater) AND @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:07
S58	9	(router$3 GATEWAY$3 SWITCH$3) with (processor$4 CPU) with (NIC network$3 interfac$3 network$3 near3 adapter $3 lan$3 near3 adpater) with (prox$3 firewall$3 load $3 near3 balancERS) AND @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:33

S59	4	(router$3 GATEWAY$3 SWITCH$3) with (processor$4 CPU) with (coupl$3 connect$3) with (NIC network$3 interfac$3 network$3 near3 adapter $3 lan$3 near3 adpater) same (prox$3 firewall$3 load$3 near3 balancERS) AND @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:40
S60	43	(router$3 GATEWAY$3 SWITCH$3) with (processor$4 CPU) with (coupl$3 connect$3) with (NIC network$3 interfac$3 network$3 near3 adapter $3 lan$3 near3 adpater) and (prox$3 firewall$3 load $3 near3 balancERS) AND @AD<"19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/12 14:41
S61	1	"10644692".rlan. or ("10". src. and "644692".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2008/12/04 19:01
S62	31	((PAUL) near2 (SZABO)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 19:03
S63	33	((GREG) near2 (DAVIS)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 19:10
S64	28	((DAVID) near2 (SCHMITT)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 19:10
S65	4	((ALAN) near2 (MIMMS)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 19:11
S66	22	((RICHARD) near2 (MASTERS)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/04 19:12
S67	2	"6742045".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 17:53
S68	4	"7102996".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:01
S69	6	"2005008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:03

S70	6	"2005008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:04
S71	3	"20050008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:04
S72	2	"6182146".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:07
S73	2	"6742045".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 15:23
S74	256	(router$3 GATEWAY$3 SWITCH$3) with (proxlES load$3 near3 balancERS) AND @AD< "19971212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:13
S75	18	(router$3 GATEWAY$3 SWITCH$3) with (proxlES load$3 near3 balancERS) AND @AD< "19971212" and (time$2 near3 liv$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:13
S76	3880	709/238.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:20
S77	149	709/238.ccls. and (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:21
S78	31	709/238.ccls. and (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) same web$2 near3 server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:23

S79	22	709/238.ccls. and (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:27
S80	4	"10119433".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:29
S81	0	"10/119433".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:30
S82	3	"10/119433"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:30
S83	3	"60293466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:30
S84	3	"60/293466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:30
S85	9	709/238.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:37
S86	5	709/231.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:38

S87	0	709/234.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:39
S88	0	709/236.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:39
S89	0	709/240.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:40
S90	9	709/238.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:40
S91	0	370/236.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:41
S92	0	370/395.4..ccls. and (multipl$3 pluralit$3) with (router$3 GATEWAY$3 SWITCH$3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:42
S93	0	370/395.4.ccls. and (multipl $3 pluralit$3) with (router $3 GATEWAY$3 SWITCH $3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:42

S94	0	370/470.ccls. and (multipl$3 pluralit$3) with (router$3 GATEWAY$3 SWITCH$3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:42
S95	1	370/252.ccls. and (multipl$3 pluralit$3) with (router$3 GATEWAY$3 SWITCH$3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:43
S96	2	(multipl$3 pluralit$3) with (router$3 GATEWAY$3 SWITCH$3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3) and @AD<"20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:45
S97	16	(multipl$3 pluralit$3 divers$3 various$1 collectiv$3 numerous$2) with (router$3 GATEWAY$3 SWITCH$3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3) and @AD<"20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:49
S98	16	(voluminous$2 plent$3 multipl$3 pluralit$3 divers$3 various$1 collectiv$3 numerous$2) with (router$3 GATEWAY$3 SWITCH$3) with (prox$3 near3 server load$3 near3 balancER$3) and (time$3 near3 liv$3 affinit$3) and @AD<"20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:52
S99	2	"5687372".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:57
S100	20	(voluminous$2 plent$3 multipl$3 pluralit$3 divers$3 various$1 collectiv$3 numerous$2) with (router$3) with (time$3 near3 liv$3 affinit$3) and @AD<"20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 18:58

S101	89	(voluminous$2 plent$3 multipl$3 pluralit$3 divers $3 various$1 collectiv$3 numerous$2) with (router $3 switch$3 gateway$3) with (time$3 near3 liv$3 affinit$3 ttl$2) and @AD<"20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:03
S102	69	S101 not S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:03
S103	46	(voluminous$2 plent$3 multipl$3 pluralit$3 divers $3 various$1 collectiv$3 numerous$2) with (router $3 switch$3 gateway$3) with (time$3 near3 liv$3 affinit$3) and @AD<"20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:04
S104	26	S103 not S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:04
S105	2	"6182146".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:19
S106	2	"6182146".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:24
S107	2	"6157950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:25
S108	3	"20050008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:26

S109	2	"20030229809"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:27
S110	43	(multipl$3 pluralit$3) with (router$3 GATEWAY$3) with (prox$3 near3 server load$3 near3 balancER$3) and @AD< "20010524"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/15 19:28
S111	1	10/644692	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 11:16
S112	2	"6182146".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 11:33
S113	2	"6157950".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 11:34
S114	3	"20050008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 11:36
S115	3	"2005/0008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 11:36
S116	2	"6775235".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 11:37
S117	4	"7102996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 17:59

S118	1	"10644692"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 18:06
S119	3	10/119433	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/16 18:07
S120	2015	370/474.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 19:59
S121	522	370/476.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 19:59
S122	316	370/506.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 19:59
S123	946	370/236.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:00
S124	6482	709/217.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:01
S125	2673	709/218.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:01
S126	5685	709/219.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:01
S127	277	710/30.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:02
S128	8343	709/224.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:04
S129	3691	709/225.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:04
S130	5012	709/227.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:04
S131	2167	370/400.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/12/19 20:04
S132	4	"7102996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 14:48
S133	0	"09346634"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 16:07

S134	22	"09/346634"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/13 16:07
S139	2	"6742045".PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/14 14:00
S140	0	"10659011".rlan. or ("10". src. and "659011".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/12/04 11:24
S141	1	"10644692"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 11:26
S142	3	"20050008017"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 11:35
S143	2	"6182146".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 11:38
S144	349	((JOHN) near2 (CHAPMAN)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/04 11:52
S145	32	((PAUL) near2 (SZABO)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/04 11:53
S163	4444	709/238.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 17:38
S164	97	709/238.ccls. and (router $3 gateway$3 switch$3) same (server$3) with (load $3 same balance$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 17:40

S165	38	709/238.ccls. and (router $3 gateway$3 switch$3) same (server$3) same (cluster$3 array$3 bundle $3 group$3 multitude$3) with (load$3 same balance $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 17:43
S166	427	(router$3 gateway$3 switch $3) same (server$3) same (cluster$3 array$3 bundle $3 group$3 multitude$3) with (load$3 same balance $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 18:30
S167	0	(router$3 gateway$3 switch $3) same (server$3) same (cluster$3 array$3 bundle $3 group$3 multitude$3) with (load$3 same balance $3) and (traffic$3 flow$3 packet$3) same (unassociat $3 unassign$3 dissociat$3 detach$3 unrelat$3 disrelat $3 irrelat$3) with (select$3 choose$3 pick$3 approv$3 appoint$3 elect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 18:41
S168	4	(router$3 gateway$3 switch $3) same (server$3) same (cluster$3 array$3 bundle $3 group$3 multitude$3) with (load$3 same balance $3) and (traffic$3 flow$3 packet$3) same (unassociat $3 unassign$3 dissociat$3 detach$3 unrelat$3 disrelat $3 irrelat$3) same (select $3 choose$3 pick$3 approv $3 appoint$3 elect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 18:42
S169	3	(router$3 gateway$3 switch $3) same (server$3) same (cluster$3 array$3 bundle $3 group$3 multitude$3) with (load$3 same balance $3) and (traffic$3 flow$3 packet$3) same (unassociat $3 unassign$3 dissociat$3 detach$3 unrelat$3 disrelat $3 irrelat$3) same (hash $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 18:48
S170	2	"6748413".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:00

S171	15116	(router$3 gateway$3 switch$3) same (dispatcher$3 traffic$3 same manager$3) (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) and (load$3 same balance$3) (hash$3) same table$3 with (associat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:09
S172	6669	(router$3 gateway$3 switch$3) same (dispatcher$3 traffic$3 same manager$3) (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) and (load$3 same balance$3) same (hash$3) same table$3 with (associat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:09
S173	6670	(router$3 gateway$3 switch$3) same (dispatcher$3 traffic$3 same manager$3) (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) same (load$3 same balance$3) and (hash$3 same table$3) with (associat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:10
S174	1	(router$3 gateway$3 switch$3) same (dispatcher$3 traffic$3 same manager$3) same (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) same (load$3 same balance$3) and (hash$3 same table$3) with (associat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:11
S175	1	(router$3 gateway$3 switch$3) same (dispatcher$3 traffic$3 same manager$3) same (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) and (load$3 same balance$3) and (hash$3 same table$3) with (associat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:11

S176	0	(router$3 gateway$3 switch $3) same (dispatcher$3 traffic$3 same manager$3) same (server$3) same (cluster$3 array$3 bundle $3 group$3 multitude$3) and (load$3 same balance $3) and (hash$3) with (unassociat$3 unassign$3 dissociat$3 detach$3 unrelat$3 disrelat$3 irrelat $3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:18
S177	1	(router$3 gateway$3 switch $3) same (distributor$3 dispatcher$3 traffic$3 same manager$3) same (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) and (load$3 same balance$3) and (hash $3) with (unassociat$3 unassign$3 dissociat$3 detach$3 unrelat$3 disrelat $3 irrelat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:21
S178	3	(router$3 gateway$3 switch $3) same (cluster$3 array $3 bundle$3 group$3 multitude$3) and (load$3 same balance$3) and (hash $3) with (unassociat$3 unassign$3 dissociat$3 detach$3 unrelat$3 disrelat $3 irrelat$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:21
S179	596	(router$3 gateway$3 switch $3) same (cluster$3 array $3 bundle$3 group$3 multitude$3) and (load$3 same balance$3) and (hash $3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:29
S180	158	(router$3 gateway$3 switch $3) same (cluster$3 array $3 bundle$3 group$3 multitude$3)same (load$3 same balance$3) and (hash $3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:29

S181	265	(router$3 gateway$3 switch$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3)same (load$3 same balanc$3) and (hash$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:29
S182	187	(router$3 gateway$3 switch$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3)with (load$3 same balanc$3) and (hash$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:30
S183	105	(router$3 gateway$3 switch$3) same (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) with (load$3 same balanc$3) and (hash$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:30
S184	14	(router$3 gateway$3 switch$3) same (server$3) same (cluster$3 array$3 bundle$3 group$3 multitude$3) with (load$3 same balanc$3) and (hash$3) same (key$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:32
S185	68	(router$3 gateway$3 switch$3) same (server$3) with (load$3 same balanc$3) and (hash$3) same (key$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:39
S186	55	S185 not S184	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 19:39
S187	72	(router$3 gateway$3 switch$3) same (server$3) with (load$3 same (balanc$3 shar$3)) and (hash$3) same (key$3) same (flow$3 traffic$3 packet$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 20:04

S188	311	(distributor$3 dispatcher$3 router$3 load$3 same balancer$3 proxy$3 same server$3) same (forward$3 rout$3) with (select$3 choos$3 assign$3 decid$3 determine$3) same (hash $3 with address$3 round$3 same robin$3) and server $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 13:10
S189	37	(distributor$3 dispatcher$3 router$3 load$3 same balancer$3 proxy$3 same server$3) same (forward$3 rout$3) with (select$3 choos$3 assign$3 decid$3 determine$3) same (hash $3 with address$3 round$3 same robin$3) same (key $3 identifier$3) and server $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 13:12
S190	1	(load$3 same balancer$3 proxy$3 firewall$3) with (coupl$3 connect$3) same (distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 13:34
S191	58	(load$3 same balancer$3 proxy$3 firewall$3) with (coupl$3 connect$3) and (distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 13:35
S192	17	(load$3 same balancer$3 proxy$3 firewall$3) with (coupl$3 connect$3) and (distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3)) same (select$3 choos$3 associat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 13:36
S193	71	(load$3 same balancer$3 proxy$3 firewall$3) and (distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3 table$3)) same (select$3 choos$3 associat $3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:05

S194	54	S193 not S192	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 14:06
S195	85	(load$3 same balanc$3) and (distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3 table$3)) same (select$3 choos$3 associat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:14
S196	19	(load$3 same balanc$3) and (distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3 table$3)) and (flow$3 packet$3 data$3 datagram$3) same (unassociat$3 unrelat$3 disrelat$3 detach$3 unattach$3 unjoin$3 irrelat$3 remov$3 disconnect$3 dissociat$3 unalli$3 unconnect$3) with (select$3 choos$3 associat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:21
S197	40	(distributor$3 router$3 switch$3) same (rout$3 forward$3) with (hash$3 same (value$3 address$3 key$3 table$3)) and (flow$3 packet$3 data$3 datagram$3) same (unassociat$3 unrelat$3 disrelat$3 detach$3 unattach$3 unjoin$3 irrelat$3 remov$3 disconnect$3 dissociat$3 unalli$3 unconnect$3) with (select$3 choos$3 associat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:24
S198	21	S197 not S196	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:25

S199	308	(hash$3 same (value$3 address$3 key$3 table$3)) and (flow$3 packet$3 data $3 datagram$3) same (unassociat$3 unrelat$3 disrelat$3 detach$3 unattach$3 unjoin$3 irrelat $3 remov$3 disconnect$3 dissociat$3 unalli$3 unconnect$3) with (select $3 choos$3 associat$3) and (load$3 with balanc$3) and web$3 with server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:30
S200	40	(hash$3 same (value$3 address$3 key$3 table$3)) and (flow$3 packet$3 data $3 datagram$3) same (unassociat$3 unrelat$3 disrelat$3 detach$3 unattach$3 unjoin$3 irrelat $3 remov$3 disconnect$3 dissociat$3 unalli$3 unconnect$3) with (select $3 choos$3 associat$3) and (load$3 with balanc$3) same web$3 with server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:31
S201	55	(protocol$3) same (select $3 choos$3 associat$3) with (hash$3) same (table $3 key$3 address$3) and load$3 with balanc$3 same server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 15:53
S203	55	S201 not S200	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:06
S204	2	"20030074467"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:15
S205	3	"20030074395"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:17

S206	51	"6744767"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:20
S207	362	(flow$3 data$3 packet$3) same (address$3 key$3) with (found$3 match$3) and (router$3) with load$3 same balanc$3 and server $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:23
S208	55	(flow$3 data$3 packet$3) same (signal$3 FIN$2) same (address$3 key$3) with (found$3 match$3) and (router$3) with load$3 same balanc$3 and server $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:26
S209	8	(flow$3 data$3 packet$3) same (address$3 key$3) with (found$3 match$3) same (hash$3 with (value $3 adddress$3 index$3)) and (router$3) with load$3 same balanc$3 and server $3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:39
S210	9	(flow$3 data$3 packet$3) same (address$3 key$3) with (found$3 match$3) same (hash$3 with (value $3 adddress$3 index$3)) and (router$3) with load$3 same balanc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:42
S211	1	S210 not S209	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:43
S212	3	(flow$3 data$3 packet$3) same (address$3 key$3) with (found$3 match$3) and (router$3)same (hash $3 with (value$3 adddress $3 index$3)) with load$3 same balanc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:45
S213	3	(flow$3 data$3 packet$3) with (found$3 match$3) and (router$3)same (hash $3 with (value$3 adddress $3 index$3)) with load$3 same balanc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:46

S214	4	(flow$3 data$3 packet$3) same (found$3 match$3) and (router$3)same (hash $3 with (value$3 adddress $3 index$3)) with load$3 same balanc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:46
S215	4	(flow$3 data$3 packet$3 traffic$3) same (found$3 match$3) and (router$3) same (hash$3 with (value $3 adddress$3 index$3)) with load$3 same balanc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:53
S216	4	(flow$3 data$3 packet$3 traffic$3) same (found$3 match$3) and (router$3) same (hash$3 same (value $3 adddress$3 index$3)) with load$3 same balanc$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:54
S217	1525	(flow$3 data$3 packet$3 traffic$3) same (found$3 match$3) and (router$3) same (load$3 same balanc $3 hash$3 same (value$3 adddress$3 index$3)) with (select$3 choos$3 forward $3 rout$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:56
S218	64	(flow$3 data$3 packet$3 traffic$3) same (found$3 match$3) with (router$3) same (load$3 same balanc $3 hash$3 same (value$3 adddress$3 index$3)) with (select$3 choos$3 forward $3 rout$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 16:57
S219	1	(ftp$2 http$3 ICMP$3 protocol$3) same (connection$3 establish$3 session$3) with (found$3 match$3) same (select$3 choos$3) and (router$3 switch$3 gateway$3) with (load$3 same balanc$3) and (hash$2) with (address $3 value$3 index$3 key$3) same (time same live$2 TTL $2 age$3 time$3) and server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:32

S220	1	(ftp$2 http$3 ICMP$3 protocol$3) same (connection$3 establish$3 session$3) with (found$3 match$3) same (select$3 choos$3) and (router$3 switch$3 gateway$3) with (load$3 same balanc$3) and (hash$2) same (address$3 value$3 index $3 key$3) same (time same live$2 TTL$2 age$3 time$3) and server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:35
S221	15	(connection$3 establish$3 session$3) with (found$3 match$3) same (select$3 choos$3) and (router$3 switch$3 gateway$3) with (load$3 same balanc$3) and (hash$2) same (address$3 value$3 index $3 key$3) same (time same live$2 TTL$2 age$3 time$3) and server$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/14 17:35
S222	36	("6295276").URPN.	USPAT	OR	ON	2009/12/14 17:41
S223	0	(packet$3 flow$3 protocol $3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router$3 controller$3 distributor$3) with (load43 same balanc$3) and TCP$ same FIN$2 SAME RST$2	USPAT	OR	ON	2009/12/14 17:57
S224	0	(packet$3 flow$3 protocol $3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router$3 controller$3 distributor$3) with (load43 same balanc$3) and TCP$ same FIN$2	USPAT	OR	ON	2009/12/14 17:57
S225	27	(packet$3 flow$3 protocol $3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router$3 controller$3 distributor$3) with (load$3 same balanc$3) and TCP$ same FIN$2	USPAT	OR	ON	2009/12/14 17:57

S226	13	(packet$3 flow$3 protocol $3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router$3 controller$3 distributor$3) with (load$3 same balanc$3) and TCP$ same FIN$2 SAME RST$3	USPAT	OR	ON	2009/12/14 17:58
S227	8	(packet$3 flow$3 protocol $3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router$3 controller$3 distributor$3) with (load$3 same balanc$3) and hash $3 with (address$3 time$3 age$3)	USPAT	OR	ON	2009/12/14 18:01
S228	29	(packet$3 flow$3 protocol $3 request$3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router $3 controller$3 distributor $3 switch43 gateway$3) with (load$3 same balanc $3) and hash$3 with (address$3 time$3 age$3 key$3 value$3)	USPAT	OR	ON	2009/12/14 18:32
S229	38	(packet$3 flow$3 protocol $3 request$3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router $3 controller$3 distributor $3 switch$3 gateway$3) with (load$3 same balanc $3) and hash$3 with (address$3 time$3 age$3 key$3 value$3)	USPAT	OR	ON	2009/12/14 18:32
S230	35	(packet$3 flow$3 protocol $3 request$3)same (connection$3 session$3 establish$3) with (found$3 match$3 "yes") and (router $3 controller$3 distributor $3 switch$3 gateway$3) with (load$3 same balanc $3) and hash$3 with (address$3 time$3 age$3 key$3 value$3) and server $3	USPAT	OR	ON	2009/12/14 18:33
S231	9	S230 not S228	USPAT	OR	ON	2009/12/14 18:34

S232	531	(session$3) same (FTP$2 HTTP$3 ICMP$3) AND (ROUTER$3 GATEWAY$3) WITH (load$3 same balanc $3) SYN$3 SAME FIN$3 SAME TCP$3	USPAT	OR	ON	2009/12/14 19:00
S233	8	(session$3) same (FTP$2 HTTP$3 ICMP$3) AND (ROUTER$3 GATEWAY$3) WITH (load$3 same balanc $3) AND SYN$3 SAME FIN $3 SAME TCP$3	USPAT	OR	ON	2009/12/14 19:01
S234	111	(session$3) same (FTP$2 HTTP$3 ICMP$3 UDP$3) AND (ROUTER$3 GATEWAY $3) WITH (load$3 same balanc$3) AND WEB$3 SAME SERVER$3	USPAT	OR	ON	2009/12/14 19:03
S235	50893	(session$3) same (FTP$2 HTTP$3 ICMP$3 UDP$3) AND (ROUTER$3 GATEWAY $3) WITH (load$3 same balanc$3) AME WEB$3 WITH SERVER$3	USPAT	OR	ON	2009/12/14 19:03
S236	28	(session$3) same (FTP$2 HTTP$3 ICMP$3 UDP$3) AND (ROUTER$3 GATEWAY $3) WITH (load$3 same balanc$3) SAME WEB$3 WITH SERVER$3	USPAT	OR	ON	2009/12/14 19:04
S237	59	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (ROUTER$3 GATEWAY$3 switch$3 proxy$2 firewall $3 dispatcher$3) WITH (load$3 same (balanc$3 shar$3)) SAME WEB$3 WITH SERVER$3	USPAT	OR	ON	2009/12/15 10:17
S238	265	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (ROUTER$3 GATEWAY$3 switch$3 proxy$2 firewall $3 dispatcher$3) WITH (load$3 same (balanc$3 shar$3)) SAME SERVER$3	USPAT	OR	ON	2009/12/15 10:17

S239	84	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (ROUTER$3 GATEWAY$3 switch$3 proxy$2 firewall $3 dispatcher$3) WITH (load$3 same (balanc$3 shar$3)) SAME SERVER$3 and hash$2	USPAT	OR	ON	2009/12/15 10:18
S240	22	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (ROUTER$3 GATEWAY$3 switch$3 proxy$2 firewall $3 dispatcher$3) WITH (load$3 same (balanc$3 shar$3)) SAME WEB$3 WITH SERVER$3 and hash $3	USPAT	OR	ON	2009/12/15 10:18
S241	37	S237 not S240	USPAT	OR	ON	2009/12/15 10:23
S242	64	S239 not S237	USPAT	OR	ON	2009/12/15 10:29
S243	56	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (ROUTER$3 GATEWAY$3 switch$3 proxy$2 firewall $3 dispatcher$3) WITH (load$3 same (balanc$3 shar$3)) SAME SERVER$3 and FIN$2 SAME TCP$2	USPAT	OR	ON	2009/12/15 10:37
S244	2	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (ROUTER$3 GATEWAY$3 switch$3 proxy$2 firewall $3 dispatcher$3) WITH (load$3 same (balanc$3 shar$3)) SAME SERVER$3 and FIN$2 SAME TCP$2 AND (RESET$3 RST$2) SAME SIGNAL$3	USPAT	OR	ON	2009/12/15 10:38

S245	21	(session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time$3 expir$3 leas$2) SAME (FIN$2 reset$2 RST$2) AND (ROUTER$3 GATEWAY $3 switch$3 proxy$2 firewall$3 dispatcher$3) WITH (load$3 same (balanc $3 shar$3)) SAME SERVER $3	USPAT	OR	ON	2009/12/15 10:39
S246	146	709/203.CCLS. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 leas$2) AND (load$3 same (balanc$3 shar$3))	USPAT	OR	ON	2009/12/15 10:45
S247	126	709/203.CCLS. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3))	USPAT	OR	ON	2009/12/15 10:45
S248	25	709/203.CCLS. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3)) and (ftp2 HTTP $2) AND syn$2	USPAT	OR	ON	2009/12/15 10:46
S249	16	709/203.CCLS. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3)) and tcp$3 same syn$2	USPAT	OR	ON	2009/12/15 10:49
S250	2	S249 not S248	USPAT	OR	ON	2009/12/15 10:50
S251	46	709/203.CCLS. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time $3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3)) and hash$3	USPAT	OR	ON	2009/12/15 10:51

S252	7	709/203.CCLS. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time$3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3)) and hash$3 and TCP$3 WITH (RST$2 RESET$2 FIN$2 close$2)	USPAT	OR	ON	2009/12/15 10:52
S253	62	"709"/$.ccls. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time$3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3)) and hash$3 and TCP$3 WITH (RST$2 RESET$2 FIN$2 close$2)	USPAT	OR	ON	2009/12/15 10:54
S254	55	S253 not S252	USPAT	OR	ON	2009/12/15 10:55
S255	15	"370"/$.ccls. AND (session$3 connection$3) same (address$3 key$3 cookie$3) with (age$2 time$3 expir$3 lease$2) AND (load$3 same (balanc$3 shar$3)) and hash$3 and TCP$3 WITH (RST$2 RESET$2 FIN$2 close$2)	USPAT	OR	ON	2009/12/15 11:02

12/18/2009 6:46:05 PM
C:\ Documents and Settings\ vlouis\ My Documents\ EAST\ Workspaces\ 10659011.wsp